

INDEX MAPS.

T. 10N, R. 5E. 2nd Mer.

	388		388		388		387		387		387	
390	6	414	5	408	4	404	3	399	2	395	1	386
	414		414		408		403		399		394	
390	7	413	8	407	9	403	10	399	11	394	12	386
	413		412		407		402		398		394	
390	18	412	17	406	16	402	15	398	14	393	13	386
	412		411		406		402		397		393	
389	19	411	20	406	21	401	22	397	23	393	24	385
	410		410		405		401		396		392	
389	30	410	29	405	28	401	27	396	26	392	25	385
	409		409		404		400		396		391	
389	31	408	32	404	33	400	34	395	35	391	36	384
	384		384		384		383		383		383	

T. 11N, R. 5E. 2nd Mer.

	423		422		422		422		421		421	
425	6	448	5	442	4	438	3	434	2	430	1	421
	449		448		442		438		433		429	
425	7	448	8	442	9	437	10	433	11	429	12	420
	447		447		441		437		433		429	
424	18	446	17	441	16	437	15	432	14	428	13	420
	446		446		440		436		432		428	
424	19	445	20	440	21	436	22	432	23	427	24	420
	444		445		440		435		431		427	
423	30	444	29	439	28	435	27	431	26	427	25	419
	443		444		439		435		430		426	
423	31	443	32	438	33	434	34	430	35	426	36	419
	418		418		418		417		417		417	

The figures on the lines refer to the page.

Wishp. N. 11 North, Range N. 3 East 2. Mer. Indiana

South Boundary. var 6.45'E

Nest On S. boundary of Sec. 36, T11N, R3E.
 40.00 Let the gr. Sec. post, from which
 a Sugar 22 in. dia. bray S43E 22 lks. dist. of
 a Dogw. 6 " " " N89W 31 " "
 49.74 a Poplar 30 " "
 80.00 Let a post Cor. to Sec. 35 & 36, from which
 a Beech 6 in. dia. bray S2E 11 lks. dist. of
 a Do 12 " " " N75E 11 " "
 Broken land, timber Beech, Sugar, Poplar &c.
 undergth, Spice &c

Nest On S. boundary of Sec. 35, T11N, R3E
 40.00 Let the gr. Sec. post, from which
 a Beech 24 in. dia. bray S28W 35 lks. dist. of
 a Do 14 " " " S67E 25 " "
 67.93 a Walnut 18 " "
 80.00 Let a post Cor. to Sec. 34 & 35, from which
 a Beech 14 in. dia. bray N48E 4 lks. dist. of
 a Do 8 " " " S53W 19 " "
 Broken land, timber Beech, Sugar, Walnut &c.
 undergth, Parsnaw & Spice.

Nest On S. boundary of Sec. 34, T11N, R3E.
 18.38 a Beech 20 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Beech 15 in. dia. bray S9W 24 lks. dist. of
 an Ironw. 6 " " " N46E 11 " "
 80.00 Let a post Cor. to Sec. 33 & 34, from which
 a Hickory 14 in. dia. bray N13W 20 lks. dist. of
 a Sugar 6 " " " S44W 17 " "
 Land timber &c. same as on the last mile

T.M.N. R3 E2^d. Mer. Indiana

West On S. boundary of Sec. 33, T.M.N. R3 E.

21.35 a Poplar 36 in. dia.

40.00 Set the g. Sec. post, from which

a Beech 10 in. dia. bear N4W 22¹/₂ lbs. dist. of

a Do 12 " " " N27 E 21 " "

64.82 a Beech 24 " "

80.00 Set a post Cor. to Sec. 32 & 33, from which

a Beech 20 in. dia. bear N45 E 29¹/₂ lbs. dist. of

a Do 12 " " " S 77 W 11 " "

Broken land good soil, timber Beech, Sugar,
Poplar &c.

West On S. boundary of Sec. 32, T.M.N. R3 E.

34.93 a Beech 8 in. dia.

37.50 a Branch 4 lbs. wide C.S. S.W.

40.00 Set the g. Sec. post, from which

a Beech 6 in. dia. bear N83 E 17¹/₂ lbs. dist. of

an Elm 18 " " " S33 W 17 " "

52.50 an Oak 48 " "

77.50 a Branch 10 lbs. wide C.S. S.E.

80.00 Set a post Cor. to Sec. 31 & 32, from which

a Beech 14 in. dia. bear S 77 W 12¹/₂ lbs. dist. of

an Oak 14 " " " N30 E 20 " "

Broken land, timber Beech, Ash & Poplar,
Oak &c. undugth Spice.

West On S. boundary of Sec. 31, T.M.N. R3 E.

15.32 a Beech 27 in. dia.

17.00 a Branch 8 lbs. wide C.S. North

40.00 Set the g. Sec. post, from which

a Beech 6 in. dia. bear S 71 E 18¹/₂ lbs. dist. of

a Do 7 " " " S55 W 23 " "

50.10 a Beech 25 " "

419

T.M.N. R3 E. 2^d. Mer. Indiana

68.00 a Creek 25 lks. wide Cr. S. N. W.

74.75 Intersected the Corner of Township N. 10
of Mt. Range, 2^d 3 East, let post, from which
a Hickory 15 m. diam. bear S 7 E 25 lks. dist. of
a Do 12 " " " S 75 W 12 " "
Very Broken up above.

East Boundary var. 5.40' E.

North On E. boundary of Sec. 36, T.M.N. R3 E
31.50 a Beech 20 m. diam.

40.00 Let the g. Sec. post, from which
a Beech 9 m. diam. bear N 61 W 12 lks. dist. of
a Do 10 " " " S 25 E 23 " "

50.42 a Hickory 18 " "

71.00 a Branch 7 lks. wide Cr. S. N. E.

80.00 Let a post Cor. to Sec. 25 of 36, from which
an Ash 24 m. diam. bear N 30 W 13 lks. dist. of
a Beech 8 " " " S 56 E 20 " "
Broken land, timber Beech, Poplar, Ash &c.
undergrowth Spruce &c.

North On E. boundary of Sec. 25, T.M.N. R3 E.

12.15 a Poplar 36 m. diam.

40.00 Let the g. Sec. post, from which
a Beech 6 m. diam. bear N 80 W 15 lks. dist. of
a Do 7 " " " S 82 E 17 " "

56.90 a Gum 21 " "

68.25 a Branch 10 lks. wide Cr. S. N. W.

80.00 Let a post Cor. to Sec. 24 of 25, T.M.N. R3 E, from
which a Beech 20 m. diam. bear N 15 W 15 lks. dist. of
a Do 14 " " " S 82 E 18 " "

Land timber &c. Same as on the last mile

T.M.N. R3E2. Mer. Indiana

North On E. boundary of Sec. 24, T.M.N. R3E.

11.60 a Sugar 18 in. dia.

23.25 at Branch 7 in. wide C.S. S.W.

40.00 at the g. Sec. post, from which
a Sugar 6 in. dia. bran S 27° 15' W 15 lks. dist. of
a Beech 9 " " " N 41° E 18 " "

51.50 a Beech 15 " "

56.00 at Branch 6 in. dia. bran

80.00 at a post Cor. to Sec. 13 of 24, from which
a W. Oak 30 in. dia. bran S 71° 10' W 10 lks. dist. of
a Beech 9 " " " N 27° 12' " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, T.M.N. R3E.

26.90 a Poplar 30 in. dia.

40.00 at the g. Sec. post, from which
a Sugar 18 in. dia. bran S 38° 32' W 32 lks. dist. of
a Beech 9 " " " N 85° E 9 " "

64.55 a Beech 18 in. dia.

80.00 at a post Cor. to Sec. 12 of 13, T.M.N. R3E.
an Ash 9 in. dia. bran N 82° E 19 lks. dist. of
a W. Oak 10 " " " N 15° W 29 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 12, T.M.N. R3E.

11.00 an Ash 24 in. dia.

40.00 at the g. Sec. post, from which
an Ironwood 6 in. dia. bran S 28° 20' W 20 lks. dist. of
a Beech 5 " " " N 55° E 6 " "

57.60 an Ash 30 " "

80.00 at a post Cor. to Sec. 1 of 12, from which
a Beech 6 in. dia. bran N 18° W 13 lks. dist. of
a do 21 " " " N 3° E 26 " "

T.M.N. R23 E. 2^d. Mer. Indiana

Gently rolling, timber as above. Soil good

North On E. boundary of Sec. 1, T.M.N. R23 E.
 40.00 Let the g. Sec. post, from which
 a Beech 12 in. diam. bran East 17 lks. dist. of
 a Do 15 " " " N77 W 11 " "
 79.50 Intersected the Corner of Township N. 11
 of 12th N. Range, 3rd of 4th E. Land level, timber
 Beech, Ash, Sugar &c. underg^d. Spruce

North Boundary var. E. 45th E.
 West On S. boundary of Sec. 36, T. 12 N. R23 E.
 20.07 a Sugar 20 in. diam.
 30.50 a Branch 8 lks. wide course North
 40.00 Let the g. Sec. post, from which
 a Beech 9 in. diam. bran N 65 W 15 lks. dist. of
 a Do 20 " " " N 60 E 40 " "
 70.42 an Ash 30 " "
 80.00 Let a post Cor. to Sec. 35 of 36, T. 12 N. R23 E. from which
 a White Beech 9 in. diam. bran N 77 W 5 lks. dist. of
 a Beech 12 " " " N 71 E 23 " "
 Over rich level land, timber Beech, Poplar, Ash &c.

West On S. boundary of Sec. 35, T. 12 N. R23 E.
 17.90 a Creek 20 lks. wide C.S. North
 39.68 a Beech 14 in. diam.
 40.00 Let the g. Sec. post, from which
 a ——— 7 in. diam. bran S 62 W 20 lks. dist. of
 a Do 18 " " " S 82 E 12 " "
 61.39 a Beech 20 " "
 80.00 Let a post Cor. to Sec. 34 of 35, T. 12 N. R23 E. from which
 an Ash 21 in. diam. bran S 68 W 11 lks. dist. of
 an Elm 15 " " " N 73 E 7 " "

T^h N. R3E2^d. Mer. Indiana

Good farming land, timber Beech, Sugar, Ash
 &c. undng.th price

Nest On S. boundary of Sec. 34, T^h2 N. R3E.

23.53 a Beech 14 in. dia. beam

40.00 Set the gr. Sec. post, from which
 an Ash 8 in. dia. beam N30E5 lks. dist. of
 an Elm 24 " " " S35W21 " "

66.88 an Ash 24 " "

80.00 Set a post Cor. to Sec. 33 & 34, T^h2 N. R3E, from which
 a Beech 6 in. dia. beam N42E20 lks. dist. of
 a Sugar 9 " " " S58W26 " "
 Level land, timb. Beech, Ash &c. undng.th price.

Nest On S. boundary of Sec. 33, T^h2 N. R3E.

20.41 a Beech 14 in. dia.

40.00 Set the gr. Sec. post, from which
 a ——— 4 in. dia. beam S60W10 lks. dist. of
 a Sugar 20 " " " S85E18 " "

58.02 a Brook 8 lks. wide cr. N.W.

76.02 a Creek 50 " " " S.W.

80.00 Set a post Cor. to Sec. 32 & 33, T^h2 N. R3E, from which
 a Sugar 5 in. dia. beam N10W13 lks. dist. of
 a Beech — " " " S6E65 " "
 Good farming land, timber Beech, Sugar,
 Ash &c. undng.th price.

Nest On S. boundary of Sec. 32, T^h2 N. R3E

20.31 a Beech 18 in. dia.

40.00 Set the gr. Sec. post, from which
 a Beech 12 in. dia. beam N23E8 lks. dist. of
 a Sugar 10 " " " S68W22 " "

62.08 a Poplar 36 " "

M. N. R. 3 E. 2^d. Mer. Indiana

87.00 At a post Cor. to Sec. 31 & 32, T. 2 S. R. 3 E. from which
a Beech 13 in. dia. bray N 27 W 16 lbs. dist. of
a Do 24 " " " S 42 W 10 " "
Land rolling, timber Beech Ash, Oak &c. undg. ^{the} Spice

West On S. boundary of Sec. 31, T. 2 S. R. 3 E.

24.77 a W. Oak 40 in. dia.

29.70 a Creek 50 lbs. wide C. S. W.

40.00 At the q. Sec. post, from which
a Beech 5 in. dia. bray N 43 W 17 lbs. dist. of
a Do 12 " " " South 21 " "

70.31 to Town Corner June 29th, 1819

West Boundary var. 6.15' E.

North On E. boundary of Sec. 36, T. 2 S. R. 2 E.

18.00 a Creek 25 lbs. wide Course N. W.

28.00 a Do 30 " " " West

30.90 a Sugar tree 15 in. dia.

40.00 At the q. Sec. post, from which
a Beech 6 in. dia. bray N 46 W 6 lbs. dist. of
a Do 9 " " " S 30 E 15 " "

80.00 At a post Cor. to Sec. 25 & 36, T. 2 S. R. 2 E. from which
a Sugar 9 in. dia. bray N 4 E 10 lbs. dist. of
a Do 18 " " " S 70 W 25 " "

Broken land, timber Beech, Sugar, Poplar, ash
&c. undg. ^{the} Spice &c.

North On E. boundary of Sec. 25, T. 2 S. R. 2 E.

33.47 a Sugar 20 in. dia.

40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bray S 66 W 39 lbs. dist. of
a Do 24 " " " N 70 E 3 " "

58.98 a Hackberry 20 " "

T.M.N. R2E. 2^d. Mer. Indiana

64.50 a Creek 50 lks. wide Cr. S. W.

80.00 At a post Cor. to Sec. 24 & 25, T.M.N. R2E, from which
a Beech 10 in. dia. - bray S56E 16 lks. dist. of
a do 16 " " " N51W 9 " "
Good farming land, timber Beech, Sugar, Ash
Elm, Buckeye, Hackberry &c. undug. Spruce &c

North On E. boundary of Sec. 24, T.M.N. R2E.

21.00 a Branch 4 lks. wide Cr. S. W.

27.58 a Beech 20 in. dia.

40.00 At the q. Sec. post, from which
a Beech 18 in. dia. - bray S52E 23 lks. dist. of
a do 7 " " " S6W 22 " "

67.00 a Branch 4 lks. wide Cr. S. W.

78.14 a Beech 25 in. dia.

80.00 At a post Cor. to Sec. 13 & 24, T.M.N. R2E, from which
a Beech 7 in. dia. - bray S66E 6 lks. dist. of
a do 18 " " " S35W 25 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, T.M.N. R2E.

12.23 an Ash 25 in. dia.

23.00 a Branch 4 lks. wide Cr. S. W.

40.00 At the q. Sec. post, from which
a Beech 10 in. dia. - bray S45W 6 lks. dist. of
an Ash 21 " " " S87E 41 " "

58.00 a Branch 10 lks. wide Cr. S. W.

58.78 a Sugar 27 in. dia.

80.00 At a post Cor. to Sec. 12 & 13, T.M.N. R2E, from which
a Beech 9 in. dia. - bray S54E 18 lks. dist. of
a do 6 " " " N69E 7 " "
1st rate land, timber Beech, Ash, Sugar, Elm,
Cherry &c. undug. Spruce &c

T.M.N. R3 E. 2nd Mer. Indiana

North On E. boundary of Sec. 12, T.M.N. R2 E.

14.49 a Beech 22 in. diam.

40.00 Let the q^r. Sec. post, from which
a Beech 20 in. diam. bears N 33 E 13 lks. dist. of
a Do 10 " " " S 85 W 30 " "

59.00 a Branch 3 lks. wide Course N.E.

67.95 a Beech 24 in. diam.

80.00 Let a post Cor. to Sec. 1 & 12, T.M.N. R2 E. from which
a Beech 7 in. diam. bears N 87 E 10 lks. dist. of
a Do 5 " " " N 70 W 11 " "

Level D^r. state land, timber Beech, Sugar, Ash
Poplar &c. undergth Spruce & Sparrow

North On E. boundary of Sec. 1, T.M.N. R2 E.

24.50 a Creek 30 lks. wide C.P. West

40.00 Let the q^r. Sec. post, from which
an Oak 5 in. diam. bears N 40 W 10 lks. dist. of
a Cherry 6 " " " S 13 E 18 " "

61.00 a Creek 50 lks. wide C.P. S. W

73.58 a Sugar 21 in. diam.

79.90 Let a post Cor. to Townships N^o 11 & 12 North Ranges
N^o 2 & 3 East, from which
a Beech 25 in. diam. bears N 26 E 13 lks. dist. of
a Do 12 " " " S 26 E 25 " "
Good farming land, timber Beech, Poplar, Ash,
&c. undergth Spruce & Beech &c.
Surveyed by John M. McDonald, L.S.

We, John Brown, John Chamber, Jeremiah Grover
& John Lushwa, do solemnly swear in the presence
of Almighty God, that in all measurements in which
we shall be employed as chain carriers in the public
surveys, we will faithfully and impartially execute the

Met. R3 E. 2^d. Mer. Indiana

duties of the trust reposed in us to the best of our
Skill and ability, to help us God

John P. Brown,
John Chamber,
Ere. Grover,
John Gushwa, Assman

Sworn and subscribed before me this 24th
day of July 1820. B. Bently, H. S.

Subdivision.

North Between Secs. 35 & 36, T11. N. R3 E.

6.50 a Beech 11 in. dia.

38.60 a Do 12 " "

40.00 Set the q. Sec. post from which

a Sugar 4 in dia. bears N 87 W 20 lks. dist. &

a Do 3 " " " S 58 E 15 " "

54.50 a Beech 20 " "

67.00 a Do 24 " "

80.00 Set a post Corner to Secs. 35 & 36 from which

a Hickory 5 in. dia. bears S 40 E 9 lks. dist. &

a Beech 4 " " " N 30 W 28 " "

Land Hilly 3rd rate Ash Beech, Sugar, &c.

East On Random Between Secs. 25 & 36, T11. N. R3 E.

40.00 Set the temp. q. Sec. post

80.20 Intersected E. boundary 231 lks. South of post

1st 1/2 mile hilly 3rd rate last 1/2 mile level 2nd.

rate, timber Ash, Poplar, Beech, winding^d. Spruce

& Greenbrier. July 24th. 1820

West Corrected between Secs. 25 & 36, T11. N. R3 E.

40.10 Set the q. Sec. post at average dist. from which

a Dogwood 6 in. dia. bears S 45 E 18 lks. dist. &

427
T.M. R3E.2.nd Mer. Indiana

a Sugar 6 m. dia. bear N57W 25 lbs. dist. of
80.20 to Sec. Corner

North Between Secs. 25 & 26, T.M. R3E.

3.40 a Beech 24 m. dia.

12.00 a Hickory 18 " "

40.00 Let the q. Sec. post, from which

a Hickory 18 m. dia. bear S30E 20 lbs. dist. of

a Sugar 6 " " " N66W 22 " "

49.00 an Ash 36 " "

72.50 an Elm 30 " "

80.00 Let a post cor. to Secs. 23, 24, 25 & 26, from which

a Sugar 3 m. dia. bear S45W 5 lbs. dist. of

a Beech 24 " " " N60E 28 " "

Land rolling 2nd rate, Ash, Sugar, Beech, undergth
Spruce &c.

East On R.R. 8th between Secs. 24 & 25, T.M. R3E.

40.00 Let temp. q. Sec. post

49.30 a Stream 15 lbs. wide Cr. North

81.20 Intersected the E. boundary 540 lbs. S. of post

Land rolling 2nd rate, Ash, Beech, Sugar &c.

Undergth Spruce &c.

West Corrected between Secs. 24 & 25, T.M. R3E.

40.60 Let q. Sec. post at average dist. from which

a Beech 10 m. dia. bear S35W 13 lbs. dist. of

a Do 6 " " " N61E 9 " "

81.20 to Sec. Corner

North Between Secs. 23 & 24, T.M. R3E.

25.50 a Stream 14 lbs. wide Cr. N.

26.00 a Hickory 20 m. dia.

Twp. R3 E. 2^d. Mer. Indiana

- 40.00 At the gr. Sec. post, from which
 a W. Oak 36 m. dist. bears S 75 E 15 lks. dist. of
 a Sugar 3 " " " N 61 W 9 " "
- 41.50 a Spring
- 51.46 at Beech 30 m. dist.
- 62.45 an Elm 6 " " of a stream 10 lks. wide S. S. W.
- 80.00 At a post Cor. to Secs. 13, 14, 23 & 24, from which
 a Beech 8 m. dist. bears S 87 W 19 lks. dist. of
 a Hickory 7 " " " N 57 E 14 " "
 Sand hilly 2^d. rate, Ash, Beech & Sugar, undg. Spice

- East On Land 8^m. between Secs. 13 & 24, Twp. R3 E.
- 40.00 At temp. gr. Sec. post
- 80.50 Intersected the E. boundary 792 lks. S. of post
 Sand hilly 2^d. rate, Ash, Beech & Sugar, undg. Spice

- West Corrected between Secs. 13 & 24, Twp. R3 E.
- 40.25 At gr. Sec. post at average dist. from which
 a Beech 10 m. dist. bears S 13 E 26 lks. dist. of
 an Oak 30 " " " N 9 E 17 " "
- 80.50 to Sec. Corner.

- North Between Secs. 13 & 14, Twp. R3 E.
- 13.72 a W. Oak 36 m. dist.
- 40.00 At the gr. Sec. post, from which
 a Beech 10 m. dist. bears S 7 E 27 lks. dist. of
 a Ho 4 " " " N 12 W 22 " "
- 59.74 an Ash 10 m. dist. of a Spring branch 3 lks. E.
- 80.00 At a post Cor. to Secs. 11, 12, 13 & 14, from which
 a Poplar 8 m. dist. bears S 43 W 26 lks. dist. of
 a W. Oak 12 " " " N 66 E 5 " "
 1st 1/2 mile level 2^d. rate - last 1/2 mile hilly 3^d. rate
 W. Oak, Poplar, Beech, Undg. Spice & Sugar

T.M. R3E. Tⁿ. Mer. Indiana

East On Rand^m between Sec. 12 & 13, T.M. R3E.

40.00 Set temp^y. q^r. Sec. post

81.00 Intersected the E. boundary 963 lks. S. of post
Land very hilly Tⁿ. rate, timber W. Oak, Beech
&c. underg^m. Pine &c.

West Corrected between Sec. 12 & 13, T.M. R3E.

40.50 Set q^r. Sec. post at average dist. from which
a Beech 6 in. dia. tree 185 E 5 lks. dist. of
a do 8 " " " 160 W 17 " "

81.00 to Sec. Corner. July 25th 1890

North Between Sec. 11 & 12, T.M. R3E.

9.20 a Poplar 30 in. dia.

40.00 Set the q^r. Sec. post, from which
a Beech 5 in. dia. tree 165 W 7 lks. dist. of
an Ash 3 " " " 169 E 7 " "

45.20 an Elm 24 " "

80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 8 in. dia. tree 150 E 9 lks. dist. of
a do 12 " " " 19 W 28 " "
Land level Tⁿ. rate, timber Beech, poplar &c.
underg^m. Spruce.

East On Rand^m between Sec. 1 & 12, T.M. R3E.

40.00 Set temp^y. q^r. Sec. post

80.22 Intersected the E. boundary, 11.32 lks. S. of post
Land level Tⁿ. rate, timber Ash, Poplar,
Beech, underg^m. Spruce &c.

West Corrected between Sec. 1 & 12, T.M. R3E.

40.11 Set q^r. Sec. post at average dist. from which
a Sugar 18 in. dia. tree 135 E 32 lks. dist. of

T.M.N. R3E. 2^d. Mer. Indiana

a Sugar 5 mi. dist. by way N55E 11 hrs. dist. of
80.27 to Sec. Corner

North Between Sec. 16 & 21, T.M.N. R3E.

8.54 an Elm 22 mi. dist.

40.00 Let the gr. Sec. post, from which
a Beech 12 mi. dist. by way S70W 26 hrs. dist. of
a Ho 18 " " " N70E 13 " "

41.55 a Stream 8 hrs. wide E. S. E.

57.27 a Beech 24 mi. dist.

67.84 a Ho 30 " "

90.76 Intersected the N. boundary 103 hrs. N. of post
Let a post Cor. to Sec. 16 & 21, from which
a Beech 15 mi. dist. by way S86W 13 hrs. dist. of
a Ho 34 " " " N80E 25 " "
Land rolling 2^d rate, Ash, Beech, Sugar &c
undergth. Spruce &c.

North Between Sec. 34 & 35, T.M.N. R3E.

5.34 a Beech 20 mi. dist.

40.00 Let the gr. Sec. post, from which
a Beech 18 mi. dist. by way S6E 8 hrs. dist. of
a Ho 15 " " " N60W 7 " "

47.34 a Beech 10 " "

80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which
a Beech 30 mi. dist. by way N68E 17 hrs. dist. of
a Sugar 6 " " " S41W 18 " "
Land very hilly 3^d rate Beech, W. Oak &c.
Undergth. Spruce & Green birch.

East On Landth betwⁿ Sec. 26 & 35, T.M.N. R3E.

40.00 Let temp^y. gr. Sec. post

80.20 Intersected the N & S. line 134 hrs. S. of post

T.M.N. R3E. T. Mer. Indiana

Land hilly 3rd rate Beech, W. Oak, Poplar,
 Underg^g, Spice & Briar. July 26.th 1890

Met Corrected between Secs. 26 & 35, T.M.N. R3E.
 40.10 Let g^g. Sec. post at average dist. from which
 a Beech 10 mi. dia^r. bray N 11 E 20 lks. dist^g
 a do 4 " " " S 74 E 25 " "
 80.40 to Sec. Corner.

North & Between Secs. 26 & 27, T.M.N. R3E
 7.50 a W. Oak 15 mi. dia^r.
 24.25 a Creek 20 lks. wide C.S. A.W.
 40.00 Let thro g^g. Sec. post, from which
 a Beech 4 mi. dia^r. bray S 68 W 29 lks. dist^g
 a do 3 " " " N 52 E 11 " "
 55.30 a Beech 24 " "
 80.00 Let a post Cor. to Secs. 22, 23, 26 & 27, from which
 a Dogwood 4 mi. dia^r. bray S 25 E 20 lks. dist^g
 a W. Oak 11 " " " N 35 W 24 " "
 Land very hilly 3rd rate Beech, W. Oak &c
 Underg^g, Briar &c.

East On Rand^m. betwⁿ. Secs. 23 & 26, T.M.N. R3E.
 40.00 Let temp^y g^g. Sec. post
 48.50 a Creek 20 lks. wide C.S. A.W.
 80.00 Intersected the N & S. line 165 lks. S. of post
 Land hilly 3rd rate, Beech Ash &c. undg^g. Spice

Met Corrected between Secs. 23 & 26, T.M.N. R3E.
 40.00 Let g^g. Sec. post, from which
 a W. Oak 36 mi. dia^r. bray N 88 E 10 lks. dist^g
 & a Beech 15 " " " N 48 W 20 " "
 80.00 to Sec. Corner.

M.N. R3 E. 2^d. Mer. Indiana

North Between Secs. 22 & 23, M.N. R3 E.

- 8.00 a Lym 24 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Sugar 15 in. dia. bray N 73 E 11 lks. dist. of
 a Beech 10 " " " S 3 E 25 " "
 52.60 a Beech 12 " "
 69.00 a Spring branch 4 lks. wide C.S. M.
 73.50 a Stream 10 lks. wide C.S. M.
 80.00 Let a post cor. to Secs. 14, 15, 22 & 23, from which
 a Water Beech 4 in. dia. bray S 45 E 28 lks. dist. of
 a Poplar 28 " " " N 35 W 12 " "
 Land hilly 2^d. rate, Ash, Beech, Poplar,
 and growth Spice &c.

East On Land^g. between Secs. 14 & 23, M.N. R3 E.

- 40.00 Let the temp. gr. Sec. post
 79.80 Intersected the N & S line 30 lks. S. of post
 Land hilly 2^d. rate, timber Beech, Poplar &c.
 anding^g. Spice greenbrier & Rattle Snakes

West Connected Between Secs. 14 & 23, M.N. R3 E.

- 39.90 Let gr. Sec. post at average dist. from which
 a Beech 8 in. dia. bray N 10 E 13 lks. dist. of
 a Do 4 " " " S 52 W 14 " "
 79.80 to Sec. Corner July 27th. 1820

North Between Secs. 14 & 15, M.N. R3 E.

- 11.00 a Stream 10 lks. wide C.S. M.
 12.00 a W. Oak 24 in. dia.
 40.00 Let the gr. Sec. post, from which
 an Ironwood 3 in. dia. bray S 33 E 12 lks. dist. of
 a Do 4 " " " N 46 W 8 " "
 52.75 a W. Oak 48 " "

T.M.N. R3 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 8 in. dia. - bear N 16 E 28 lks. dist. of
 a Do 12 " " " N 43 W 12 " "
 Land level 2^d rate, timber Ash, Oak, Poplar
 Beech, Sugar &c. Undergth Spice

East On Rand^m between Sec. 11 & 14, T.M.N. R3 E.

40.00 Set temp^y. q^r. Sec. post
 78.75 Intersected the N. & S. line 61 lks. S. of post.
 Land rolling 2^d rate Ash, Beech, Poplar
 Undergth Spice & Briar.

West Corrected between Sec. 11 & 14, T.M.N. R3 E.

39.37 Set q^r. Sec. post at average dist. from which
 a Beech 4 in. dia. - bear N 76 E 19 lks. dist. of
 a Do 3 " " " N 59 W 11 " "
 78.75 to Sec. Corner

North Between Sec. 10 & 11, T.M.N. R3 E.

14.60 a Sugar 15 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a Beech 30 in. dia. - bear N 78 W 10 lks. dist. of
 a Sugar 6 " " " N 50 E 17 " "
 46.00 a Stream 8 lks. wide Cr. S.W.
 46.60 a Cherry 18 in. dia.
 80.00 Set a post cor. to Sec. 2, 3, 10 & 11, from which
 a Sugar 15 in. dia. - bear S 36 W 17 lks. dist. of
 a Buckeye 10 " " " S 85 E 23 " "
 Land level 1st rate, timber Ash, Sugar, Beech,
 Undergth Spice &c

East On Rand^m between Sec. 2 & 11, T.M.N. R3 E.

40.00 Set temp^y. q^r. Sec. post, from which

T.M.N. R3E. 2^d. Mer. Indiana

78.70 Intersected the N & S. line 40 lks. N. of post,
1st half 1st rate - last 1/2 2^d rate, timber, Ash,
Beech, Sugar, undng. Spruce &c.

West Corner between Sec. 2 & 3, T.M.N. R3E.
39.35 Set q. Sec. post at average dist. from which
an Elm 6 in. dia. bears N 1/4 E 11 lks. dist. &
a Beech 6 " " " S 1 W 17 " "
78.70 to Sec. Corner.

North Between Sec. 2 & 3, T.M.N. R3E.
5.05 a Beech 15 in. dia.
40.00 Set the q. Sec. post from which
a Beech 18 in. dia. bears N 81 E 22 lks. dist. &
a Sugar 15 " " " N 75 W 22 " "
62.72 a Do 7 " "
68.57 a Sugar 24 " "
88.25 Intersected N. boundary 126 lks. E. of post
Set a post Corner to Sec. 27 & 3. from which
a Sugar 7 in. dia. bears N 53 E 23 lks. dist. &
an Elm 12 " " " S 29 W 24 " "
Land here 1st rate Ash 12. Walnut Beech

North Between Sec. 33 & 34, T.M.N. R3E.
8.40 a Sugar ²⁴ in. dia.
40.00 Set a q. Sec. post from which
a White Birch 6 in. dia. bears S 9 1/2 W 12 lks. dist. &
a Beech 6 " " " N 47 W 12 " "
49.46 a W. Oak 30 " "
80.08 Set a post Corner to Sec. 27, 28, 33 & 34, from which
a Beech 3 in. dia. bears S 41 1/2 W 4 lks. dist. &
a Sugar 21 " " " N 10 E 16 " "
Land hilly 3^d rate Sugar Beech W Oak

T11 N R3 E 2^d Mer. Indiana

Undergrowth Spice & Green briars

East On Random Between Sec. 27 & 34, T11 N. R. 3 E.
 6 . 30 a Small Branch 4 lks. wide Course N. W.
 20 . 00 a Do Creek
 40 . 00 Set the temp^y. qⁱ. Sec. post
 79 . 75 Intersected the N & S. line 26 lks. S. of post -
 Land & timber as on the last mile

West On true line Between Sec. 27 & 34, T11 N. R. 3 E.
 39 . 37 Set the qⁱ. Sec. post at average dist. from which
 a W. Oak 6 in. dia^r. bears S 22 $\frac{1}{2}$ E 6 lks. dist. &
 a Hickory 18 " " " N 6 $\frac{1}{2}$ W 25 " "
 79 . 75 to Section Corner

North Between Sec. 27 & 28, T11 N. R. 3 E.
 24 . 35 a Beech 20 in. dia^r.
 40 . 00 Set the qⁱ. Sec. post from which
 a Beech 10 in. dia^r. bears S 3 W 16 lks. dist. &
 a Sugar 7 " " " S 16 W 7 " "
 50 . 00 Camp Creek 25 lks. wide Course W.
 65 . 16 a Sugar 20 in. dia^r.
 80 . 00 Set the post Corner to Sec. 21, 22, 27 & 28, from which
 a Beech 20 in. dia^r. bears N 45 $\frac{1}{2}$ E 7 lks. dist. &
 a Do 30 " " " S 71 W 5 " "
 Land Hilly 2^d rate timber Ash Beech Walnut
 Undergrowth Spice

East On Random Between Sec. 22 & 27, T11 N. R. 3 E.
 40 . 00 the temp^y. qⁱ. Sec post
 64 . 00 a Stream 10 lks. wide Course S. W.
 80 . 10 Intersected the N & S. line 73 lks. N. of post -
 Land Hilly 3^d rate Ash Beech Sugar &c.

T.M. N. R. 3 E. 2nd Mer. IndianaUndergrowth Spice. 29th July

West On true line Between Secs. 22 & 27. T.M. N. R. 3 E.
 40.00 Set the q. Sec. post at average dist from which
 a Sugar 6 in. diam. bears N 55 $\frac{1}{2}$ W 3 lks. dist. &
 a Dogwood 5 " " " S 16 E 10 " "
 80.10 to Section Corner

North Between Secs. 21 & 22. T.M. N. R. 3 E
 6.95 a Beech 30 in. diam.
 40.00 Set the q. Sec. post from which
 a Beech 20 in. diam. bears S 14 $\frac{1}{2}$ E 9 lks. dist. &
 a Do 6 " " " N 22 E 29 " "
 42.50 a Creek 30 lks. wide Course S. W.
 43.84 a Sycamore 32 in. diam.
 80.00 Set a post Corner to Secs. 15, 16, 21 & 22, from which
 a Sugar 4 in. diam. bears N 38 $\frac{1}{2}$ W 5 lks. dist. &
 a Do 5 " " " S 32 E 13 " "
 Land rolling timber Sugar Walnut & underg. Spice

East On Random Between Secs. 15 & 22. T.M. N. R. 3 E.
 24.25 a Stream 10 lks wide Course S.
 40.00 Set the temp. q. Sec. post
 41.30 a Stream 12 lks. wide Course S. W.
 61.25 a Do 10 " " " N W.
 80.10 Intersected the N & S. line 147 lks. N. of post
 Land Rolling 1st rate timber Set Walnut Beech
 Undergrowth Spice & poplar

West On true line Between Secs. 15 & 22. T.M. N. R. 3 E.
 40.05 Set a q. Sec. post at average dist. from which
 a Beech 10 in. diam. bears N 71 W 12 lks. dist. &
 a Ironwood 7 " " " S 35 $\frac{1}{2}$ E 43 " "

T. N. R. 3 E. 2^d Mer. Indiana

80.10 to Section Corner

North Between Secs. 15 & 16. T. 11. N. R. 3 E.

11.59 a Beech 36 in. dia.

41.00 Set the q. Sec. post from which

a Beech 3 in. dia. bears N 70 W 5 lks. dist. 8.

a Do 6 " " " N 30 E 20 " "

52.63 a W. Oak 60 " "

80.01 Set a post Corner To Secs. 9, 10, 15 & 16 from which

a Beech 4 in. dia. bears S 29 1/2 W 13 lks. dist. 4

a Do 9 " " " N 31 E 13 " "

Land level 1st rate timber - Ast poplar Beech Sugar
undergrowth Spice

East On Random Between Secs. 10 & 15, T. 11. N. R. 3 E.

36.25 a Stream 10 lks. wide Course S. W.

40.00 Set the temp. q. Sec. post

80.00 Intersected the N. & S. line 90 lks. N. of post. 8

Land rolling 2^d rate Ast Beech. undergrowth Spice.

West On true line Between Secs. 10 & 15, T. 11. N. R. 3 E.

40.00 Set the q. Sec. post at average from which

a Beech 7 in. dia. bears N 68 W 17 lks. dist. 4

a Do 8 " " " S 5 1/2 E 26 " "

80.00 to Section Corner

North Between Secs. 9 & 10 T. 11. N. R. 3 E.

8.07 a Beech 18 in. dia.

29.50 a Stream 15 lks. wide Course S. W.

40.00 Set the q. Sec. post from which

a Beech 20 in. dia. bears N 44 1/2 W 35 lks. dist. 8

a Do 20 " " " S 64 E 26 " "

58.62 a Sugar 18 " "

T11 N. R. 3 E. 2^d. Mer. Indiana

30.00 Set a post Corner to Secs. 3, 4, 9 & 10 from which
 a Beech 4 in. dia. bears S 29° E 26 lbs. dist. 8
 a Do 30 " " " N 48 W. 19 " "
 Land Rolling 2^d. rate Oak Ash poplar Beech
 Sugar undergrowth Spice 4th.

East On Random Between Secs. 3 & 10 T11 N. R. 3 E.
 40.00 Set the temp. y. q. Sec. post
 51.00 Intersected the N & S. lines 128 lbs. N of post
 Land level 1st. rate timber Ash Beech Poplar
 B. Walnut Sugar undergrowth Spice & poplars -

West On true line Between Secs. 3 & 10 T11 N. R. 3 E.
 40.50 Set a q. Sec. post at average dist. from which
 a Sugar 6 in. dia. bears S 10 E 19 lbs. dist. 8
 a Hickory 15 " " " N 45 E 13 " "
 51.00 To Section Corner

North Between Secs. 3 & 4, T11 N. R. 3 E.
 17.10 a Beech 15 in. dia.
 40.00 Set a q. Sec. post from which
 a Beech 20 in. dia. bears S 6° E 16 lbs. dist. 8
 an Ash 30 " " " N 13 E 23 " "
 63.00 a Beech 20 " "
 83.50 Intersected N. boundary 86 lbs. E. of post Set a post
 Corner to Sections. 3 & 4. from which
 an Ash 12 in. dia. bears N 13 W 24 lbs. dist. 8
 a Beech 30 " " " S 7° E 20 " "
 Land level 1st. rate Ash Beech Poplar Sugar
 undergrowth Spice

North Between Secs. 32 & 33, T11 N. R. 3 E.
 9.50 a B. Oak 30 in. dia.

T11 N. R. 3 E. 2^d. Mer. Indiana

- 40.00 Set the q^t. Sec. post from which
 a Beech 12 in. dia^t. bears S 69 $\frac{1}{2}$ E 18 lks. dist. &
 a Do 30 " " " N 75 $\frac{1}{2}$ W 24 " "
 70.31 a Sugar 20 " "
 80.00 Set a post Corner to Secs. 28, 29, 32 & 33, from which
 a Poplar 20 in. dia^t. bears S 58 E 11 lks. dist. &
 a Do 15 " " " N 56 $\frac{1}{2}$ W 20 " "
 Land Hilly 3^d. rate Ash Beech poplar undergro.
 with Spice Briers & Dogwood

East On Random Between Secs. 28 & 33, T11 N. R. 3 E.

- 10.40 a Small Branch 5 lks. wide Course N. W.
 40.00 Set the temp^y. q^t. Sec. post
 80.50 Intersected the N. & S. lines 20 lks. N. of post.
 Land Hilly 2^d. rate Ash poplar Beech undergro. ^{Spice}

West On true line Between Secs. 28 & 33, T11 N. R. 3 E.

- 40.25 Set the q^t. Sec. post at average dist. from which
 a Beech 4 in. dia^t. bears S 49 $\frac{1}{2}$ E 8 lks. dist. &
 a Do 20 " " " N 49 $\frac{1}{2}$ W 16 " "
 80.50 to Section Corner

North Between Secs. 28 & 29, T11 N. R. 3 E.

- 16.50 a Stream 6 lks. wide Course S. W.
 18.62 a W. Oak 12 in. dia^t.
 40.00 Set the q^t. Sec. post from which
 a Walnut 7 in. dia^t. bears N 30 $\frac{1}{2}$ E 5 lks. dist. &
 a Sugar 10 " " " S 11 W 24 " "
 67.90 a Sugar 20 " "
 68.80 a Creek 20 lks. wide Course W.
 80.00 Set a post Corner to Secs. 20, 21, 28 & 29, from which
 a Buckeye 6 in. dia^t. bears S 60 E 4 lks. dist.
 a Do 15 " " " S 79 W 40 " "

T.M.N. R3E.2^d. Mer. Indiana

Land Hilby 1st rate and 2^d rate timber Ash Sugar
Beech &c. undergrowth Spice

East On Random Between Secs. 20 & 21, T. 11 N. R. 3 E.

40 . 00 Set the temp^y. q^t. Sec. post

81 . 20 Intersected the N. & S. line 30 lks. N. of post

Land rolling 1st half 1st rate last half 2^d rate
Ash Beech B. Walnut Sugar, under 7th Spice -

West On true line Between Secs. 20 & 21, T. 11 N. R. 3 E.

40 . 60 Set the q^t. Sec post at average dist. from which
a Sugar 5 in. dia^t. bears N 27 1/2 W 10 lks. dist. 1/2
a Do 6 " " " S 60 E 15 " "

81 . 20 to Section Corner

North Between Secs. 20 & 21, T. 11 N. R. 3 E.

11 . 30 a Beech 15 in. dia^t.

18 . 30 a Creek 10 lks. ^{wide} Course S. W.

22 . 00 a Beech 30 in dia^t.

40 . 00 Set the q^t. Sec. post from which

a B. Oak 36 in. dia^t. bear N 38 W 12 lks. dist. 1/2

a poplar 40 " " " S 45 E 30 " "

55 . 00 a W. Oak 15 " "

81 00 Set a post Corner to Secs. 16, 17, 20 & 21, T. 11 N. R. 3 E
from which a Beech 24 in. dia^t. bears S 47 E 7 lks. dist. 1/2

a Sugar 7 " " " N 14 W 13 " "

Land rolling 2^d rate Ash Beech Sugar under 7th
Spice

Augt. 1st. 1820.

East On Random Between Secs. 16 & 21, T. 11 N. R. 3 E.

40 . 00 Set the temp^y. q^t. Sec. post

43 . 00 a Branch 4 lks. wide Course S.

60 . 10 a Do 6 " " " S. W.

T11 N R3 E 2^d. Mer. Indiana

82.38 Intersected the N. & S. line 50 lks. N. of post.
Land Hilly 2^d. rate Ash Beech Sugar and gth Spice

West On true line Between Secs. 16 & 21, T11 N. R. 3 E.
41.19 Set the q^r. Sec. post at average dist. from which
a Walnut 20 in. dia^t. bears N 65^o W 5 lks. dist.
a Sugar 6 " " " N 54^o E 6 " "
82.38 to Section Corner

North. Between Secs. 16 & 17, T11 N. R. 3 E
8.33 an Ash 20 in. dia^t.
40.00 Set the q^r. Sec. post from which
a Beech 30 in. dia^t. bears S 49^o W 4 lks. dist.
a Do 8 " " " N 29^o E 16 " "
53.54 a Beech 20 " "
73.10 a stream 6 lks. wide Course W.
80.00 a Sugar 26 in dia^t. Corner To Secs. 8.9.16.17. from
which a Beech 10 in. dia^t. bears S 11^o W. 18 lks. dist.
a Sugar 6 " " " N 60^o E 27 " "
Land Rolling 2^d. rate Ash Beech poplar Sugar
undergrowth Spice &c.

East On Random Between Secs. 9 & 16, T11 N. R. 3 E.
2.25 a Small Branch 4 lks. wide Course S.
22.25 a Do " 5 " " " S. W
38.10 a Creek 25 lks. Course S.
40.00 Set the temp^y. q^r. post
47.50 a Creek 15 lks. wide Course N. W.
83.30 Intersected the N. & S. line: 62 lks. S. of post
Land Hilly 3^d. rate timber Ash Beech Oak
undergrowth Spice & dogwood -

West On true line Between Secs. 9 & 16, T11 N. R. 3 E

T11N R3E. 2nd Mer. Indiana

41. 65 Set the q^r. Sec. post at average dist. from which
 a Beech 10 in. dia^r. bears N 76 W 16 lbs. dist. 4
 a Sugar 8 " " " S 41 E 30 " "
 83. 30 to Section Corner

- North Between Sec^s. 8 & 9. T11N. R3E.
 10. 48 a Beech 15 in. dia^r.
 40. 00 Set the q^r. Sec. post from which
 a W. Beech 6 in. dia^r. bears S 74 W 18 lbs. dist. 4
 a Beech 24 " " " N 55 E 30 " "
 44. 50 a Do 20 " "
 80. 00 Set a post Corner to Sec^s. 4, 5, 6, 9 from which
 a Beech 20 in. dia^r. bears N 59 E 5 lbs. dist. 4
 a Do 18 " " " S 40 W 16 " "
 Land Rolling 2nd rate timber Ash poplar Beech
 undergrowth Spice.

- East On Random Between Sec^s. 4 & 9. T11N. R3E.
 40. 00 Set the Temp^y. q^r. Sec. post
 83. 00 Intersected the N & S. line 30 lbs. S. of post
 Land level 2nd rate Ash Beech Sugar poplar
 undergrowth Spice.

- West On true line Between Section 4 & 9. T11N. R3E.
 41. 50 Set the q^r. Sec. post at average dist. from which
 an Elm 4 in. dia^r. bears S 50 W 17 lbs. dist. 4
 a Beech 6 " " " N 32 E 26 " "
 83. 00 to Section Corner

- North Between Sec^s. 4 & 5. T11N. R3E.
 15. 60 a Beech 18 in. dia^r.
 40. 00. Set the q^r. Sec. post from which
 a Beech 10 in. dia^r. bears S 88 W 4 lbs. dist.

S. 11. N. R. 3 E. 2^d. Mer. Indiana

- a Beech 7 in. dia. bears S 28 E 16 lks. dist.
 53. 07 a Do 20 " "
 78. 50 a Creek 30 lks. wide Course S. W.
 84. 64 Intersected the N. boundary 70 lks. W. of post.
 Set a post Corner to 4th 5. from which
 a Sugar 18 in. dia. bears S 70 W 6 lks. dist. &
 a Do 10 " " " N 75 E 23 " "
 Land Rolling 2^d. rate Ash poplar Beech Sugar
 undergrowth Spice - August 2. 1820 -

- North Between Secs. 31 & 32. S. 11. N. R. 3 E.
 3. 20 a Stream 5 lks. wide Course W.
 3. 40 a Beech 18 in. dia.
 30. 34 a B. Gum 30 " "
 40. 00 Set the q. Sec. post from which
 a Beech 12 in. dia. bears N 45 W 10 lks. dist. &
 a Do 13 " " " S 84 E 16 " "
 58. 08 a Gum 30 " "
 61. 30 a Stream 6 lks. wide Course S. W.
 80. 00 Set a post Corner to Secs. 29, 30, 31 & 32. from which
 a Beech 10 in. dia. bears S 6 W 8 lks. dist. &
 a Gum 18 " " " N 42 E 10 " "
 Land Hilly 2^d. rate Ash Beech poplar Gum
 undergrowth Spice &c.

- West Between Secs. 30 & 31. S. 11. N. R. 3 E.
 21. 34 a Beech 30 in. dia.
 40. 00 Set the q. Sec. post from which
 a Sugar — in. dia. bears N 69 E 25 lks. dist. &
 a Beech 26 " " " S 58 W 35 " "
 45. 00 a small Branch 3 lks. wide Course N.
 45. 50 a poplar 34 in. dia.
 73. 50 Intersected W. boundary 18 lks. 18 lks. of post

T11N R3E 2^d Mer. Indiana

Set a post Corner to Sec. 30 & 31. from which
 a Beech 6 in. dia. bears S 40 E 15 lks. dist. &
 a Sugar 24 " " " N 35 W 7 " "
 Land R. half level V. rate last half Hilly
 Ash Beech Sugar undergrowth Spice -

East On Random Between Sec. 29 & 32. T11N. R. 3E.
 40.00 Set the temp. q. Sec. post
 79.40 Intersected the N. & S. line 24 lks. S. of post -
 Land Rolling 2^d rate timber Ash Beech poplar
 undergrowth Spice -

West On true line Between Sec. 29 & 32. T11N. R. 3E.
 39.70 Set a q. Sec. post at average dist. from which
 a Sugar 26 in. dia. bears S 70 W 16 lks. dist. &
 a Beech 18 " " " S 43 E 40 " "
 79.40 to Section Corner

North Between Sec. 29 & 30. T11N. R. 3E.
 12.60 and Ash 30 in dia.
 38.75 a Creek 40^{lks} wide Course W.
 40.00 Set the q. Sec. post from which
 and Ash 6 in. dia. bears S 53 E 5 lks. dist. &
 a Sycamore 15 " " " N 47 E 16 " "
 65.00 a Beech 8 " "
 80.00 Set a post Corner to Sec. 19, 20, 27 & 30 from which
 a Beech 20 in. dia. bears N 80 W 30 lks. dist. &
 a Do 18 " " " N 60 E 5 " "
 Land Hilly R. 1/2 mile 2^d rate last 1/2 V. rate timber:
 Ash B. Walnut Beech Hackberry & undergrowth. Spice -

West Between Sec. 19 & 30. T11N. R. 3E.
 5.95 a Beech 20 in. dia.

T11 N R 3 E T^h Mer. Indiana

- 40.00 Set a q^r. Sec. post from which
a Beech 18 in. dia. bears S 11 W 32 lks. dist. 8
a W. Do 4 " " " N 66 W 7 " "
- 61.50 a Beech 12 " "
- 72.10 Intersected W. boundary 64 lks. N. of post
Set a post Corner to Sec. 19 & 30. from which
a Beech 20 in. dia. bears S 20 W 10 lks. dist. 8
a Do 7 " " " N 17 W 15 " "
Land level 1st. rate timber Ash Beech poplar
Walnut undergrowth Spice.

- East. On Random Between Sec. 20 & 29 T^h 11 N. R. 3 E.
6.20 a Creek 15 lks. wide Course S.
49.10 a Do 20 " " " S. W.
73.50 a Do 15 " " " N. W.
80.20 Intersected the N. & S. line 57 lks. S. of post
Land and timber as on the last mile Aug^r. 30th 1820.

- West On true line Between Sec. 20 & 29 T^h 11 N. R. 3 E.
40.10 Set the q^r. Sec. post at average dist. from which
a Beech 36 in. dia. bears N. 20 W 32 lks. dist. 8
a Do 24 " " " N 58 E 7 " "
80.20 to Section Corner

- North Between Sec. 19 & 20 T^h 11 N. R. 3 E.
8.45 a Beech 30 in. dia.
30.45 a Creek 15 lks. wide Course S. E.
35.70 a Do 15 " " " S. W.
40.00 Set the q^r. Sec. post from which
a Hackberry 7 in. dia. bears N 53 E 14 lks. dist. 8
and Elm 12 " " " S 7 W 19 " "
36.10 a Creek 15 lks. wide Course S. E.
66.55 a Sycamore 20 in. dia.

T11N R3E 2^d. Mer. Indiana

30.00 Set a post Corner to Sec. 17, 18, 19 & 20, from which
 a Beech 20 in. diam. bears N 58 W. 10 ch. dist.
 a 10 6 " " " N 73 E 20 " "
 Land 1st 1/4 mile Hilly 3rd last 1/4 level 1st rate
 timber Ash Walnut Sugar Beech &c. und^g.th Spice

West Between Sec. 18 & 19, T11N. R. 3 E.
 10.00 a Beech 18 in. diam.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. diam. bears N 30 W 19 ch. dist. of
 an Ironwood 6 " " " S 55 E 14 " "
 51.39 a Beech 25 " " "
 70.21 Intersected the West boundary 130 ch. N.
 of post - set a post Cor. to Sec. 18 & 19, from which
 a Beech 12 in. diam. bears N 4 W 10 ch. dist. of
 an Ash 26 " " " S 17 E 16 " "
 Land level 1st rate, timber Ash, Beech &
 Sugar, und^g.th Spice.

East On Random between Sec. 17 & 20, T11N. R3E.
 5.30 a Creek Course S.
 40.00 Set temp. q. Sec. post
 79.25 Intersected the N & S. line 25 ch. N. of post
 Land level 2nd rate, Ash, Beech, Poplar
 Und^g.th Spice &c.

West Corrected between Sec. 17 & 20, T11N. R3E.
 39.62 Set q. Sec. post at average dist. from which
 a Beech 20 in. diam. bears N 18 E 26 ch. dist. of
 a Sugar 8 " " " S 15 W 15 " "
 79.25 to Sec. Corner.

North Between Sec. 17 & 18, T11N. R3E.

T.M.N. R3 E. 2^d. Mer. Indiana

- 11.75 a Beech 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bray 19 E 36 lks. dist. of
 a Do 12 " " " N 50 E 12 " "
 59.50 a Sugar 12 " "
 80.00 Set a post Cor. to Sec. 7, 8, 17, 18, from which
 a Hickory 12 in. dia. bray 20 E 9 lks. dist. of
 a Beech 12 " " " N 18 E 12 " "
 Land hilly 3^d. rate, timber Ash, Beech &c.
 undg^d. Spice &c

West Between Sec. 7 & 18, T.M.N. R3 E

- 11.90 a Beech 15 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bray 14 E 18 lks. dist. of
 a Do 6 " " " N 22 W 11 " "
 45.26 a Beech 18 " "
 69.08 Intersected the W. boundary 112 lks. N. of post.
 Set a post Cor. to Sec. 7 & 18, T.M.N. R3 E, from which
 a Beech 20 in. dia. bray 17 E 21 lks. dist. of
 a Do 30 " " " N 37 W 14 " "
 Land level 2^d. rate, Ash, Beech &c. undg^d. Spice

East On Rand. between Sec. 8 & 17, T.M.N. R3 E.

- 40.00 Set temp. q. Sec. post
 49.10 a Stream 6 lks. wide C. South
 80.75 Intersected the N & S. line 125 lks. N. of post
 Land hilly 2^d. rate, Ash, Beech &c. undg^d. Spice

West Corrected between Sec. 8 & 17, T.M.N. R3 E.

- 40.37 Set q. Sec. post at average dist. from which
 a Sugar 8 in. dia. bray 15 E 23 lks. dist. of
 a Do 10 " " " N 29 W 26 " "

M. N. R. B. E. 2nd. Mer. Indiana

80.75 to Sec. Corner.

North Between Sec. 7 & 8, M. N. R. B. E.

10.33 a W. Oak 15 in. dia.

40.00 Set the q. Sec. post from which

a Beech 6 in. dia. bears S 40 E 17 lks. dist. &

a Do 7 " " " N 7 W 10 " "

54.59 a Beech 24 " "

80.00 Set a post Corner to Sec. 5, 6, 7 & 8. from which

a Beech 26 in. dia. bears S 27 E 12 lks. dist. &

a Sugar 6 " " " N 21 E 16 " "

Land 1st p. mile 2^d rate last p. 4 lly 3^d rate

timber Ash Beech W. Oak undergrowth Spice

August 4th 1890

East On Random Between Sec. 5 & 8, S. 11 N. R. 3 E.

40.00 Set the temp. q. Sec. post

81.70 Intersected the N. & S. line 25 lks. N. of post

Land 4 lly 1st p. mile 3^d rate last p. 2^d rate timb.Ash Beech poplar &c. undergth Spice Briers

West On true line Between Sec. 5 & 8, S. 11 N. R. 3 E.

40.87 Set a q. Sec. post at average dist. from which

a Beech 30 in. dia. bears N. 24 E 6 lks. dist. &

and Ash 24 " " " S 7 W 20 " "

81.75 to Section Corner

North Between Sec. 5 & 6, S. 11 N. R. 3 E.

29.75 a Poplar 48 in. dia.

40.00 Set the q. Sec. post from which

a Hickory 10 in. dia. bears N. 63 W 23 lks. dist. &

a Beech 15 " " " S 10 E 20 " "

44.50 a Creek 15 lks. wide Course S. W.

449

T.M. N.E. 3 E. 2^d Mer. Indiana

45.30 a Sugar 8 in. dia.

81.50 Intersected the N. boundary 125 lbs. E. of one post
 of 300 lbs. west of the other (on which two corners
 were established, neither of the posts appears,
 all the letters and figures except those in the Cor.
 of Sec. 32, T. 2 N. R. 3 E. are obliterated, but the notches
 &c. on the reference trees are entire) Set a post
 Cor. to Sec. 5 & 6, from which
 a Hickory 10 in. dia. bears S 70 E 27 lbs. dist. &
 a Do 10 " " " S 68 W 17 " "
 Land hilly 3^d rate, timber W. Oak, Beech, Poplar
 &c. undergth Spice, Ash, Oak, Dogwood & birch.

Next Between Sec. 6 & 7, T. 2 N. R. 3 E.

13.38 a Sugar 6 in. dia.

40.00 Set the q. Sec. post from which
 a Sugar 18 in. dia. bears N 53 E 20 lbs. dist. &
 a Beech 20 " " " S 17 W 20 " "

43.50 a stream 6 lbs. wide Course N.

66.61 a Beech 15 in. dia.

68.55 Intersected W. boundary 142 lbs. N. of post, Set a
 post Cor. to Sec. 6 & 7, from which
 a Beech 7 in. dia. bears S 36 E 10 lbs. dist. &
 a Do 24 " " " N 29 W 7 " "

Land very Hilly 3^d rate timber ash Beech Poplar
 &c. Undergrowth Spice &c. August 5th 1820
 Surveyed by Basil Bently, Dep. Sur.

I certify the foregoing transcript of field notes of Township N. 10. N. Range N. 3 E. 2. Mer. Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office
Cincinnati, May 19th 1844

C. P. Haines
Sur. Genl.